Skalini

2017

It's a Lifestyle...


skalinis

Skalini

We are not just an ordinary tile company. Our industry experience is exceptional, we have been working with natural stone for many years. An innovative approach and strong knowledge of the market trends allow us to manufacture and customize exceptional products, making us your go to company... In 2012 we made an important decision to switch our path from just a mosaic manufacturer to the trendsetter in our field. This created the birth of our new brand, Skalini. Many years of experience, the newest technologies and an exceptional design team altogether allowed us to create a totally new and out of the box product line. Our team of designers in cooperation with a group of engineers created a product line that will fill its unique niche in the marketplace.

Skalini

COLLECTIONS

WATERJET

MOSAIC

ARTISTIC

STONE

MOSAIC

PANTHEON



WATERJET MOSAIC

ARTISTIC STONE COLLECTION



WATERJET COLLECTION

We have created an innovative collection with a wide range of design patterns, applying traditional essences with sleek modern lines. The design features of water jet allows you to achieve an artisan, yet sophisticated finish, combining modern production techniques with the beauty of ancient craftsmanship. The combination of design and creativity will definitely make that stunning statement.

FIORE 3
TRELLIS 4

Skalini



Material: Paper White Marble, Natural Shell

COASTAL BREEZE
Code: CST-01

Sheet size: 11.2x12.9″
Thickness: 3/8″



Material: Bianco Carrara, Natural Shell

COASTAL RIBBON
Code: CST-03

Sheet size: 10.2″x12.5″
Thickness: 5/16″

Material: Paper White Marble, Natural Shell

COASTAL WAVE
Code: CST-02

Sheet size: 10.1x14.2″
Thickness: 3/8″



Material: Paper White Marble, Natural Shell

COASTAL FLOWER
Code: CST-04

Sheet size: 12x12″
Thickness: 3/8″

* *Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*

VERONA WEAVE
Code: VRN-01

Sheet size: 14”x14”
Thickness: 3/8”

* *Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*



SPECCHIO
Code: SPE-01

Sheet size: 11x11.8”
Thickness: 5/16”

* *Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*

Skalini

FIORE 3
Code: FIO-3
Sheet size: 14.5”x14.5”
Thickness: 5/16”



FIORE 10
Code: FIO-10
Sheet size: 14.5”x14.5”
Thickness: 5/16”
Special Order

* *Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*

FIORE 3

Skalini

FIORE 2
Code: FIO-2

Sheet size: 12”x12”
Thickness: 3/8”

MARGO 7
Code: MR-7

Sheet size: 12”x4”
Thickness: 3/8”

MARGO 8
Code: MR-8

Sheet size: 12”x4”
Thickness: 3/8”

* *Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*

FIORE 11



FIORE 5
Code: FIO-5

Sheet size: 12.4”x12.4”
Thickness: 3/8”

FIORE 11
Code: FIO-11

Sheet size: 10.3”x12.6”
Thickness: 3/8”

* *Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*

SNOWFLAKE

SNOWFLAKE 1
Code: SFL-1

Sheet size: 10.5”x10.5”
Thickness: 3/8”

* *Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*

P E A C O C K



PEACOCK WHITE
Code: PCK-1

Sheet size: 11.8”x12”
Thickness: 5/16”

PEACOCK GREY
Code: PCK-2

Sheet size: 11.8”x12”
Thickness: 5/16”

* *Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*

S H A P E

SHAPE 1B
Code: SHP-1B

Sheet size: 8.5”x12.8”
Thickness: 5/16”



SHAPE 2
Code: SHP-2

Sheet size: 8.5”x12.8”
Thickness: 3/8”

* *Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*

Skalini

SHAPE 3
Code: SHP-3
Sheet size: 12”x12”
Thickness: 5/16”

SHAPE 4B
Code: SHP-4B
Sheet size: 12”x12”
Thickness: 5/16”

* *Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*

Skalini

SHAPE 5
Code: SHP-5

Sheet size: 11.4”x11.4”
Thickness: 5/16”

* *Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*



SHAPE 5

SHAPE 6
Code: SHP-6

Sheet size: 10.1”x10.1”
Thickness: 3/8”

* *Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*

T R E L L I S



TRELLIS 5
Code: TRL-5

Sheet size: 11.4”x12.8”
Thickness: 5/16”



TRELLIS 6
Code: TRL-6

Sheet size: 11.4”x12.8”
Thickness: 5/16”
Special Order



TRELLIS 9
Code: TRL-9

Sheet size: 10.6”x11.4”
Thickness: 5/16”



TRELLIS 10
Code: TRL-10

Sheet size: 10.6”x11.4”
Thickness: 3/8”

** Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*

TRELLIS 3, SHAPE 6



TRELLIS 1
Code: TRL-1
Sheet size: 11”x14”
Thickness: 3/8”

TRELLIS 3
Code: TRL-3
Sheet size: 11”x14”
Thickness: 3/8”



TRELLIS 15
Code: TRL-15
Sheet size: 10.8”x11.8”
Thickness: 3/8”

* *Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*

TRELLIS 2B
Code: TRL-2B
Sheet size: 11”x14”
Thickness: 5/16”

* *Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*

TRELLIS 2

Skalini

TRELLIS 8
Code: TRL-8

Sheet size: 11.8”x11.8”
Thickness: 3/8”

TRELLIS 24
Code: TRL-24

Sheet size: 11.8”x11.8”
Thickness: 3/8”



TRELLIS 25
Code: TRL-25
Sheet size: 11.8”x11.8”
Thickness: 3/8”

* *Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*

Skalini

TRELLIS 11
Code: TRL-11

Sheet size: 11.1”x11.1”
Thickness: 3/8”

* *Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*

TRELLIS 12

TRELLIS 12
Code: TRL-12

Sheet size: 11.1”x11.1”
Thickness: 5/16”

* *Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*

TRELLIS 4

TRELLIS 4
Code: TRL-4
Sheet size: 12”x12”
Thickness: 3/8”

* *Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*



TRELLIS 7
Code: TRL-7

Sheet size: 11.8”x11.8”
Thickness: 3/8”

TRELLIS 22
Code: TRL-22

Sheet size: 10.4”x10.7”
Thickness: 3/8”

* *Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*

Skalini

WATERJET
MOSAIC

Skalini



TRELLIS 17
Code: TRL-17

Sheet size: 13.5”x11.3”
Thickness: 3/8”

* *Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*



TRELLIS 18
Code: TRL-18

Sheet size: 11”x12.7”
Thickness: 3/8”



TRELLIS 23
Code: TRL-23

Sheet size: 9.8”x10.2”
Thickness: 3/8”



TRELLIS 26
Code: TRL-26
Sheet size: 10.4”x10.6”
Thickness: 3/8”

* *Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*

Skalini

Skalini



TRELLIS 19
Code: TRL-19

Sheet size: 11.8”x11.8”
Thickness: 3/8”



TRELLIS 27
Code: TRL-27

Sheet size: 8.8”x10”
Thickness: 3/8”

* *Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*

A N G O L O

ANGOLO 1
Code: ANG-01

Sheet size: 13,5”x14,5”
Thickness: 3/8”

* *Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*

PICASSO 1

P I C A S S O
F L O O R S



PICASSO 4

PICASSO 4
Code: PCS-4
Sheet size: 12”x12”
Thickness: 3/8”

* *Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*

Skalini



PICASSO 3
Code: PCS-3
Sheet size: 11.8″x11.8″
Thickness: 3/8″

PICASSO 2
Code: PCS-2
Sheet size: 11.8″x11.8″
Thickness: 3/8″

* *Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characterisitics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*

PICASSO 3

PICASSO 1

PICASSO 1

PICASSO 1

PICASSO 1
Code: PCS-1

Sheet size: 12”x12”
Thickness: 3/8”

PICASSO 5
Code: PCS-5

Sheet size: 12”x12”
Thickness: 3/8”
Special Order

* *Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*

A L C A M O

ALCAMO WHITE-1/6

ALCAMO 1/6
Code: ACM 1/6

Sheet size: 12”x12”
Thickness: 3/8”

ALCAMO 2/6
Code: ACM 2/6

Sheet size: 12”x12”
Thickness: 3/8”

ALCAMO 3/6
Code: ACM 3/6

Sheet size: 12”x12”
Thickness: 3/8”

* *Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*

ALCAMO WHITE-3/6

Skalini



MALAGA 1
Code: MLG-1
Sheet size: 12″x12″
Thickness: 5/16″
Special Order

* *Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*

MALAGA 1

ARTISTIC STONE
MOSAIC

Natural stone processing traditions have centuries old history in Italy and as in the old days, Italian artists continue to amaze the world with new discoveries in the art of processing stone surfaces. Artistic Stone collection represents the most vivid and extraordinary part of Skalini. The latest technologies are combined here with the distinguished design solutions. The chord of bright colors and exquisite ornaments will never leave you indifferent. Skalini designers made sure that these products will meet all your needs in creating designs in your own unique way.

Etched Field Tile



ETCHED DOTS
CARRARA
Code: EFT-01CA
Chip size: 3”x 12”
Thickness: 3/8”



ETCHED WAVES
CARRARA
Code: EFT-02CA
Chip size: 3”x 12”
Thickness: 3/8”

ETCHED CHEVRON
CARRARA
Code: EFT-03CA
Chip size: 3”x 12”
Thickness: 3/8”



ETCHED ALLIGATOR
CARRARA
Code: EFT-04CA
Chip size: 3”x 12”
Thickness: 3/8”

ETCHED DOTS
SILVER GREY
Code: EFT-01GR
Chip size: 3”x 12”
Thickness: 3/8”



ETCHED WAVES
SILVER GREY
Code: EFT-02GR
Chip size: 3”x 12”
Thickness: 3/8”



ETCHED CHEVRON
SILVER GREY
Code: EFT-03GR
Chip size: 3”x 12”
Thickness: 3/8”



ETCHED ALLIGATOR
SILVER GREY
Code: EFT-04GR
Chip size: 3”x 12”
Thickness: 3/8”



Etched Field Tile



ETCHED DOTS
WOODEN GREY
Code: EFT-01WG
Chip size: 3”x 12”
Thickness: 3/8”



ETCHED DOTS
BLACK
Code: EFT-01BL
Chip size: 3”x 12”
Thickness: 3/8”

ETCHED WAVES
WOODEN GREY
Code: EFT-02WG
Chip size: 3”x 12”
Thickness: 3/8”



ETCHED WAVES
BLACK
Code: EFT-02BL
Chip size: 3”x 12”
Thickness: 3/8”



ETCHED CHEVRON
WOODEN GREY
Code: EFT-03WG
Chip size: 3”x 12”
Thickness: 3/8”



ETCHED CHEVRON
BLACK
Code: EFT-03BL
Chip size: 3”x 12”
Thickness: 3/8”



ETCHED ALLIGATOR
WOODEN GREY
Code: EFT-04WG
Chip size: 3”x 12”
Thickness: 3/8”



ETCHED ALLIGATOR
BLACK
Code: EFT-04BL
Chip size: 3”x 12”
Thickness: 3/8”



BASTONI

BASTONI 2
Code: BST-02
Chip size:
2”x0,4”
Sheet size:
11.8”x11.8”
Thickness: 3/8”

BASTONI 3
Code: BST-03
Chip size:
12”x0,4”
Sheet size:
11.8”x11.8”
Thickness: 3/8”

BASTONI 4
Code: BST-04
Chip size:
12”x0,4”
Sheet size:
11.8”x11.8”
Thickness: 3/8”



BASTONI 1
Code: BST-01

Chip size: Irregular
Sheet size: 11.8”x11.8”
Thickness: 3/8”

BASTONI 1

FESTIVAL

FESTIVAL 1
Code: FST-01
Chip size:
2”x2”
Sheet size:
11.8”x11.8”
Thickness: 3/8”



FESTIVAL 2
Code: FST-02
Chip size:
2”x2”
Sheet size:
11.8”x11.8”
Thickness: 3/8”

FESTIVAL 3
Code: FST-03
Chip size:
2”x2”
Sheet size:
11.8”x11.8”
Thickness: 3/8”

GOLDEN LINE

GOLDEN LINE 1
Code: GLN-1

Chip size: 0.6”x 6”
Sheet size: 12”x12”
Thickness: 3/8”

GOLDEN LINE 2
Code: GLN-2

Chip size: 0.6”x 6”
Sheet size: 12”x12”
Thickness: 3/8”

GOLDEN LINE 3
Code: GLN-3

Chip size: 0.6”x 6”
Sheet size: 12”x12”
Thickness: 3/8”

GOLDEN LINE 6
Code: GLN-6

Chip size: 0.6”x 6”
Sheet size: 12”x12”
Thickness: 3/8”

GOLDEN LINE 5



GOLDEN LINE 4
Code: GLN-4

Chip size: 0.6”x 6”
Sheet size: 12”x12”
Thickness: 3/8”

GOLDEN LINE 5
Code: GLN-5

Chip size: 0.6”x 6”
Sheet size: 12”x12”
Thickness: 3/8”

LEGEND 1
Code: LGN-1

Chip size: 1.2”x 1.2”
Sheet size: 12”x12”
Thickness: 3/8”

LEGEND 2
Code: LGN-2

Chip size: 1.2”x 1.2”
Sheet size: 12”x12”
Thickness: 3/8”

LEGEND 1

LEGEND 3

LEGEND 3
Code: LGN-3
Chip size: 1.2”x 1.2”
Sheet size: 12”x12”
Thickness: 3/8”

ETHNIC 1
Code: ETH-1

Chip size: 0.9”x 0.9”
Sheet size: 12”x12”
Thickness: 3/8”
Special Order

ETHNIC 2
Code: ETH-2

Chip size: 0.9”x 0.9”
Sheet size: 12”x12”
Thickness: 3/8”
Special Order



ETHNIC 3
Code: ETH-3
Chip size: 0.9”x 0.9”
Sheet size: 12”x12”
Thickness: 3/8”
Special Order

ETHNIC 3
FIRE DANCE 6

Skalini



FIRE DANCE 4
Code: FDC-4

Chip size: 0.6”x 0.6”
Sheet size: 12”x12”
Thickness: 3/8”



FIRE DANCE 8
Code: FDC-8

Chip size: 0.6”x 0.6”
Sheet size: 12”x12”
Thickness: 3/8”
Special Order



FIRE DANCE 9
Code: FDC-9

Chip size: 0.6”x 0.6”
Sheet size: 12”x12”
Thickness: 3/8”
Special Order

ARTISTIC STONE MOSAIC

FIRE DANCE 9
PICASSO 3



FIRE DANCE 2

FIRE DANCE 3
Code: FDC-3

Chip size: 2”x 2”
Sheet size: 12”x12”
Thickness: 3/8”

FIRE DANCE 6
Code: FDC-6

Chip size: 2”x 2”
Sheet size: 12”x12”
Thickness: 3/8”
Special Order

FIRE DANCE 2
Code: FDC-2

Chip size: 2”x 2”
Sheet size: 12”x12”
Thickness: 3/8”

FIRE DANCE 1
Code: FDC-1
Chip size: 0.6”x 2”
Sheet size: 12”x12”
Thickness: 3/8”



FIRE DANCE 7
Code: FDC-7
Chip size: 0.6”x 2”
Sheet size: 12”x12”
Thickness: 3/8”
Special Order

FIRE DANCE 10
Code: FDC-10
Chip size: 0.6”x 2”
Sheet size: 12”x12”
Thickness: 3/8”
Special Order

FIRE DANCE 5
Code: FDC-5
Chip size: Irregular
Sheet size: 12”x12”
Thickness: 3/8”
Special Order

FIRE DANCE 1

IMPRESS 1
Code: IMS-1
Chip size: 0.6”x 2”
Sheet size: 12”x12”
Thickness: 3/8”

IMPRESS 2
Code: IMS-2
Chip size: 0.6”x 2”
Sheet size: 12”x12”
Thickness: 3/8”

*This one of a kind art inspired mosaic can be made custom to your clients specifications.

IMPRESS 3
Code: IMS-3
Chip size: 0.6”x 2”
Sheet size: 12”x12”
Thickness: 3/8”



IMPRESS 4
Code: IMS-4
Chip size: 0.6”x 2”
Sheet size: 12”x12”
Thickness: 3/8”

IMPRESS 3
IMPRESS 4

DYNASTY 2

DYNASTY 1
Code: DNY-1
Chip size: 2″x 2″
Sheet size: 12″x12″
Thickness: 3/8″

DYNASTY 2
Code: DNY-2
Chip size: 2″x 2″
Sheet size: 12″x12″
Thickness: 3/8″

* *Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*

DYNASTY 3
Code: DNY-3
Chip size: 2″x 2″
Sheet size: 12″x12″
Thickness: 3/8″

DYNASTY 4
Code: DNY-4
Chip size: 2″x 2″
Sheet size: 12″x12″
Thickness: 3/8″

* *Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*

DYNASTY 4

DYNASTY 5
Code: DNY-5
Chip size: 2″x 2″
Sheet size: 12″x12″
Thickness: 3/8″

DYNASTY 5

VEGAS 3

VEGAS 4

VEGAS 3
Code: VGS-3

Chip size: 0.9”x 4”
Sheet size: 12”x12”
Thickness: 3/8”

VEGAS 4
Code: VGS-4

Chip size: 0.9”x 4”
Sheet size: 12”x12”
Thickness: 3/8”

Skalini

VEGAS 8i
Code: VGS-8i
Chip size: Irregular
Sheet size: 11.8”x11.8”
Thickness: 3/8”

VEGAS 7i
Code: VGS-7i
Chip size: Irregular
Sheet size: 11.8”x11.8”
Thickness: 3/8”

PURITY

PURITY 1
Code: PRT-01
Chip size: 0.6”x 2”
Sheet size: 11.8”x11.8”
Thickness: 5/16”

PURITY 1
Code: PRT-01
Chip size: 0.6”x 2”
Sheet size: 11.8”x11.8”
Thickness: 5/16”

CLEOPATRA



CLEOPATRA 3
Code: CPR-3
Chip size: 0.6”x 0.6”
Sheet size:
11.7”x11.7”
Thickness: 5/16”
Special Order



CLEOPATRA 1
Code: CPR-1
Chip size: 0.6”x 0.6”
Sheet size:
11.7”x11.7”
Thickness: 5/16”



CLEOPATRA 2
Code: CPR-2
Chip size: 0.6”x 0.6”
Sheet size:
11.7”x11.7”
Thickness: 5/16”



CLEOPATRA 5
Code: CPR-5
Chip size: 0.6”x 0.6”
Sheet size:
11.7”x11.7”
Thickness: 5/16”

Skalini

CLEOPATRA 6
Code: CPR-6
Chip size: 0.6”x 0.6”
Sheet size: 11.7”x11.7”
Thickness: 5/16”





CLEOPATRA 4
Code: CPR-4
Chip size: 0.6”x 0.6”
Sheet size: 11.7”x11.7”
Thickness: 5/16”
Special Order

ARTISTIC
STONE
MOSAIC

CLEOPATRA 4

Skalini

B U R J

BURJ SILVER
Code: BRJ-1
Chip size: Irregular
Sheet size: 12”x12”
Thickness: 3/8”

BURJ GOLD
Code: BRJ-6
Chip size: Irregular
Sheet size: 12”x12”
Thickness: 3/8”

BURJ 2
Code: BRJ-2
Chip size: Irregular
Sheet size: 12″x12″
Thickness: 3/8″

BURJ 3
Code: BRJ-3
Chip size: Irregular
Sheet size: 12″x12″
Thickness: 3/8″
Special Order

BURJ 5
Code: BRJ-5
Chip size: Irregular
Sheet size: 12″x12″
Thickness: 3/8″
Special Order



BURJ 4
Code: BRJ-4
Chip size: Irregular
Sheet size: 12″x12″
Thickness: 3/8″
Special Order



DEVON 1
Code: DVN-1

Chip size: 0.9”x 0.9”
Sheet size: 11.8”x11.8”
Thickness: 3/8”
Special Order



DEVON 2
Code: DVN-2

Chip size: 0.9”x 0.9”
Sheet size: 11.8”x11.8”
Thickness: 3/8”
Special Order

DEVON 3
Code: DVN-3

Chip size: 0.9”x 0.9”
Sheet size: 11.8”x11.8”
Thickness: 3/8”

H E X

HEX 1
Code: HEX-1
Chip size: 3.8”x2.8”
Sheet size:
11.6”x12.6”
Thickness: 3/8”
Special Order





HEX 3
Code: HEX-3
Chip size: 3.8”x2.8”
Sheet size:
11.6”x12.6”
Thickness: 3/8”

HEX 2
Code: HEX-2
Chip size: 2.5”
Sheet size:
11.6”x10.8”
Thickness: 3/8”
Special Order

HEX 4
Code: HEX-4
Chip size: 2.5”
Sheet size:
11.6”x10.8”
Thickness: 3/8”

SCALE



SCALE 1
Code: SCL-1
Chip size: Irregular
Sheet size: 11.6”x11.6”
Thickness: 3/8”
Special Order

TRAFALGAR

TRAFALGAR 6
Code: TRG-6

Chip size: 4”x 4”
Sheet size: 11.8”x11.8”
Thickness: 3/8”
Special Order

TRAFALGAR 5
Code: TRG-5

Chip size: 4”x 4”
Sheet size: 11.8”x11.8”
Thickness: 3/8”
Special Order

Skalini

TRAFALGAR 8
Code: TRG-8
Chip size: 4”x 4”
Sheet size: 11.8”x11.8”
Thickness: 3/8”
Special Order

TRAFALGAR 7
Code: TRG-7
Chip size: 4”x 4”
Sheet size: 11.8”x11.8”
Thickness: 3/8”
Special Order

TRAFALGAR 10
Code: TRG-10
Chip size: 4”x 4”
Sheet size: 11.8”x11.8”
Thickness: 3/8”
Special Order

TRAFALGAR 12
Code: TRG-12
Chip size: 4”x 4”
Sheet size: 11.8”x11.8”
Thickness: 3/8”
Special Order

TRAFALGAR 11
Code: TRG-11
Chip size: 4”x 4”
Sheet size: 11.8”x11.8”
Thickness: 3/8”
Special Order

TRAFALGAR 9
Code: TRG-9
Chip size: 4”x 4”
Sheet size: 11.8”x11.8”
Thickness: 3/8”
Special Order

* *Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*

TRAFALGAR 7

TRAFALGAR 1

TRAFALGAR 1
Code: TRG-1
Chip size: 4”x 4”
Sheet size:
11.8”x11.8”
Thickness: 3/8”
Special Order

TRAFALGAR 4
Code: TRG-4
Chip size: 4”x 4”
Sheet size:
11.8”x11.8”
Thickness: 3/8”
Special Order

TRAFALGAR 3
Code: TRG-3
Chip size: 4”x 4”
Sheet size:
11.8”x11.8”
Thickness: 3/8”
Special Order

TRAFALGAR 2
Code: TRG-2
Chip size: 4”x 4”
Sheet size:
11.8”x11.8”
Thickness: 3/8”
Special Order

T O R I N O

TORINO 1
Code: TRN-1
Chip size: Irregular
Sheet size: 11.2”x11.2”
Thickness: 3/8”
Special Order

TORINO 2
Code: TRN-2
Chip size: Irregular
Sheet size: 11.2”x11.2”
Thickness: 3/8”
Special Order

Skalini

TORINO 3
Code: TRN-3

Chip size: Irregular
Sheet size: 11.2”x11.2”
Thickness: 3/8”
Special Order

TORINO 4
Code: TRN-4

Chip size: Irregular
Sheet size: 11.2”x11.2”
Thickness: 3/8”
Special Order

TORINO 5
Code: TRN-5

Chip size: Irregular
Sheet size: 11.2”x11.2”
Thickness: 3/8”
Special Order

TORINO 6
Code: TRN-6

Chip size: Irregular
Sheet size: 11.2”x11.2”
Thickness: 3/8”
Special Order

* *Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*

TORINO 5

PIETRA FLOREALE

PIETRA FLOREALE 01
Code: PF-01
Chip size: Irregular
Sheet size: 12”x12”
Thickness: 3/8”

PIETRA FLOREALE 01
Code: PF-01

Chip size: Irregular
Sheet size: 12”x12”
Thickness: 3/8”



PIETRA FLOREALE 03
Code: PF-03
Chip size: Irregular
Sheet size: 12”x12”
Thickness: 3/8”



PIETRA FLOREALE 04
Code: PF-04
Chip size: Irregular
Sheet size: 12”x12”
Thickness: 3/8”



PIETRA FLOREALE 05
Code: PF-05
Chip size: Irregular
Sheet size: 12.2”x12.6”
Thickness: 3/8”

Skalini

PIETRA FLOREALE 02
Code: PF-02
Chip size: Irregular
Sheet size: 12.2”x12.2”
Thickness: 3/8”

PANTHEON

This designer favorite collection features a unique historical pattern with Moroccan and European influences. Precisely etched and carefully cut the stone patterns are assembled artistically creating a new decorative motif to add to your modern surroundings.

*Custom options are also available. Please contact your sales representative for more information.





PANTHEON WHITE
Code: PNT WHITE

Sheet size: 7.25″x7.25″
Thickness: 3/8″

*Sold by 4 pcs (1 sheet). 1 sq.ft = 2.7 sheets

PANTHEON BLACK
Code: PNT BLACK

Sheet size: 7.25″x7.25″
Thickness: 3/8″

*Sold by 4 pcs (1 sheet). 1 sq.ft = 2.7 sheets

PANTHEON GREY
Code: PNT GREY

Sheet size: 7.25″x7.25″
Thickness: 3/8″

*Sold by 4 pcs (1 sheet). 1 sq.ft = 2.7 sheets

PANTHEON ANTICO
Code: PNT ANTICO

Sheet size: 7.25″x7.25″
Thickness: 3/8″

*Sold by 4 pcs (1 sheet). 1 sq.ft = 2.7 sheets

PANTHEON BLUE
Code: PNT BLUE

Sheet size: 7.25″x7.25″
Thickness: 3/8″

*Sold by 4 pcs (1 sheet). 1 sq.ft = 2.7 sheets

PANTHEON CREMA
Code: PNT CREMA

Sheet size: 7.25″x7.25″
Thickness: 3/8″

*Sold by 4 pcs (1 sheet). 1 sq.ft = 2.7 sheets

* *Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*

PANTHEON BLACK
PANTHEON ANTICO
PANTHEON BLUE

Skalini

PANTHEON ANTICO
Code: PNT ANTICO
Sheet size: 7.25″x7.25″
Thickness: 3/8″
**Sold by 4 pcs (1 sheet). 1 sq.ft = 2.7 sheets*

** Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*

PANTHEON ANTICO

PANTHEON BLACK
Code: PNT BLACK
Sheet size: 7.25”x7.25”
Thickness: 3/8”
**Sold by 4 pcs (1 sheet). 1 sq.ft = 2.7 sheets*

PANTHEON BLUE
Code: PNT BLUE
Sheet size: 7.25”x7.25”
Thickness: 3/8”
**Sold by 4 pcs (1 sheet). 1 sq.ft = 2.7 sheets*

** Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*

PANTHEON BLUE

174 | Custom Mix of Pantheon Grey and Pantheon White

PANTHEON CREMA
Code: PNT CREMA
Sheet size: 7.25”x7.25”
Thickness: 3/8”
Sold by 4 pcs (1 sheet). 1 sq.ft = 2.7 sheets

PANTHEON GREY
Code: PNT GREY
Sheet size: 7.25”x7.25”
Thickness: 3/8”
Sold by 4 pcs (1 sheet). 1 sq.ft = 2.7 sheets

* *Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*

PANTHEON WHITE-GREY-ANTICO

PANTHEON WHITE-GREY-ANTICO* Sheet size: 7.25”x7.25”
Code: PNT WHITE-GREY-ANTICO Thickness: 3/8”

*Sold by 4 pcs (1 sheet). 1 sq.ft = 2.7 sheets

*This is a custom mix. Please contact your sales representative for more information.

* *Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*

Skalini

PANTHEON BLACK-WHITE*
Code: PNT BLACK-WHITE

Sheet size: 7.25”x7.25”
Thickness: 3/8”

*Sold by 4 pcs (1 sheet). 1 sq.ft = 2.7 sheets

*This is a custom mix. Please contact your sales representative for more information.

PANTHEON BLACK-WHITE

* *Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*

PANTHEON WHITE-BLACK

* *Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*

PANTHEON WHITE-BLACK* Sheet size: 7.25”x7.25”
Code: PNT WHITE-BLACK Thickness: 3/8”

**Sold by 4 pcs (1 sheet). 1 sq.ft = 2.7 sheets*

**This is a custom mix. Please contact your sales representative for more information.*

Skalini

PANTHEON BLUE-BLACK*
Code: PNT BLUE-BLACK
Sheet size: 7.25”x7.25”
Thickness: 3/8”
Sold by 4 pcs (1 sheet). 1 sq.ft = 2.7 sheets

PANTHEON BLACK-BLUE*
Code: PNT BLACK-BLUE
Sheet size: 7.25”x7.25”
Thickness: 3/8”
Sold by 4 pcs (1 sheet). 1 sq.ft = 2.7 sheets

These are a custom mixes. Please contact your sales representative for more information.

* *Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*

PANTHEON WHITE-BLUE*
Code: PNT WHITE-BLUE
Sheet size: 7.25”x7.25”
Thickness: 3/8”
Sold by 4 pcs (1 sheet). 1 sq.ft = 2.7 sheets

PANTHEON WHITE-ANTICO*
Code: PNT WHITE-ANTICO
Sheet size: 7.25”x7.25”
Thickness: 3/8”
Sold by 4 pcs (1 sheet). 1 sq.ft = 2.7 sheets

PANTHEON BLUE-WHITE*
Code: PNT BLUE-WHITE
Sheet size: 7.25”x7.25”
Thickness: 3/8”
Sold by 4 pcs (1 sheet). 1 sq.ft = 2.7 sheets

PANTHEON ANTICO-WHITE*
Code: PNT ANTICO-WHITE
Sheet size: 7.25”x7.25”
Thickness: 3/8”
Sold by 4 pcs (1 sheet). 1 sq.ft = 2.7 sheets

These are a custom mixes. Please contact your sales representative for more information.

Skalini

PANTHEON NUOVO WHITE
Code: PNV WHITE
Sheet size: 9.4”x9.4”
Thickness: 3/8”



PANTHEON NUOVO ANTICO
Code: PNV ANTICO
Sheet size: 9.4”x9.4”
Thickness: 3/8”

PANTHEON NUOVO GREY
Code: PNV GREY
Sheet size: 9.4”x9.4”
Thickness: 3/8”

PANTHEON NUOVO BLACK
Code: PNV BLACK
Sheet size: 9.4”x9.4”
Thickness: 3/8”

* *Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*

*Sold by 4 pcs (1 sheet). 1 sq.ft = 1.63 sheets

PANTHEON ROTONDO WHITE
Code: PRT WHITE
Sheet size: 7.25”x7.25”
Thickness: 3/8”
Special Order

PANTHEON ROTONDO BLACK
Code: PRT BLACK
Sheet size: 7.25”x7.25”
Thickness: 3/8”
Special Order

* *Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.*

*Sold by 4 pcs (1 sheet). 1 sq.ft = 2.74 sheets

WATER-JET COLLECTION

Installation and Maintenance Guide

The Water-Jet Collection we have created is an innovative collection with a wide range of design applying traditional essences with sleek modern lines. The design features of water jet allows you to achieve an artisan, yet sophisticated finish, combining modern production techniques with the beauty of ancient craftsmanship. The combination of design and creativity will definitely make a stunning statement. Our water-jet collections uses natural stone, glass and mother of pearl materials. Natural stone is a product of organic formation and will have a color and size variations, blemishes and chipped edges. No two pieces are exactly identical lending to the beauty and prestige of these materials.

Inspection:

Always inspect your tiles before they are installed, as **installation of material constitutes acceptance**. Material must be dry-laid prior to installation to verify the quality and color variation acceptability. Any questions as to acceptability must be resolved before installation. Mir Mosaic is in no way responsible for the installation of our tiles or thereafter. The responsibility for correct installation rests with the end user.

White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas.

Slate can transfer a rust brown/orange color when exposed to moisture.

These are the natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.

Usage:

- Interior/Exterior walls (some items may not be suitable for exterior use)
- Back splashes
- Shower walls/floors (some items may not be suitable for shower pan use)
- Light/Medium/Heavy foot traffic
- **NOT** recommended for swimming pools or areas submerged in water for prolonged period of time.
- **ALWAYS** - refer to the Mir Mosaic product guide provided in the catalog or website to determine suitability for your desired installation. Some collections may not be suitable for all areas listed above.
- For areas exposed to extreme temperature such as fireplace hearth or behind cook top contact Mir Mosaics at: info@mir-mosaic.com for additional information on usage.

Installation:

To prolong the life and beauty of your installation, it is best to secure a licensed installer familiar with the industry standards established in the NTCA, ASTM, M.I.A. and ANSI handbooks for tile and trade installation.

Due to the natural character of stone products, it is very important that the proper installation and methods are used according to the relevant industry standards. For specific questions or accepted industry standards, refer to the Marble Institute of America (www.marble-institute.com).

Natural stone may vary in absorption. It is recommended to pre-seal stones prior to installation. This will help prevent setting materials and grouts from staining the surface of the stone. Penetrating type sealers that leave the material looking natural are recommended for this purpose. Suggested sealer brands include but are not limited to: Dupont™ Stonetech® Professional Sealer and Aqua Mix. Please refer to sealers Manufacturer instructions prior to sealing. Test in a small area before sealing entire surface to ensure suitability. Contact your purchase location for additional information on these types of sealers.

We recommend installing stones over a clean, sound, and flat concrete or mortar substrate. The surface should be free of contaminates or any condition that could compromise the bond of the tile.

Use a high quality, well maintained wet saw with a diamond blade designed for cutting stone materials. Using a poorly maintained tile saw or a blade will cause the tile to chip during cutting. Always cut tile very slowly to avoid chipping.

Grout joints should be packed full and free of all voids and pits. Excess grout should be cleaned from the surface as the work progresses, while grout is fresh and before it hardens. Prior to grouting, test in a small area to make sure that the right color grout is chosen and that the surface does not scratch during grouting.

Suggested setting materials include but are not limited to:

- **LATICRETE PERMACOLOR® Grout**
- **LATICRETE Tile adhesive Mortar or Laticrete 220 Marble & Granite Mortar or similar products.**

MAINTENANCE

Stone is a natural product and care should be taken to maintain its lasting beauty. To maximize the life of your mosaic and retain its artistic integrity, please consider the following:

- Use only a mild, pH-neutral detergent cleaner and damp sponge or rag to clean your mosaic.
- **Do not** use acid, alkaline, and solvent-based cleaners. They can damage and/or discolor the tiles and the grout.
- **Do not** allow soap, bleach or other cleaning solutions set on the surface.
- **Do not** wax any part of your mosaic.
- **Do not** let stains sit on your mosaic's surface for extended periods. Clean promptly.

Acceptable cleaners for natural stone surfaces may be acquired through your Mir Mosaic purchase location or other tile dealers.

Always test cleaner in a small inconspicuous area prior to use throughout the installation to determine suitability and use of care and maintenance products.

WARRANTY

MIR Mosaic makes no warranties, express or implied, including merchantability or fitness for a particular purpose. Purchaser's remedy is limited to replacement or refunding the cost of defective material which has not been installed or altered in any way, and under no circumstances shall MIR Mosaic be liable for any loss or damage arising from the purchase, use, or inability to use this product, or for any special, indirect, incidental, or consequential damages. No installer, dealer, agent, or employee of MIR Mosaic has the authority to modify the obligations or limitations of this warranty.

ARTISTIC STONE COLLECTION

Maintenance and Installation Guide

Artistic stone mosaic may be susceptible to scratching in handling, installation and use. Expect a slight color variation from production run to production run.

INSPECTION

Always inspect your tiles before they are installed, as **installation of material constitutes acceptance**. Any questions as to acceptability must be resolved before installation. Mir Mosaic is in no way responsible for the installation of our tiles or thereafter. The responsibility for correct installation rests with the end user.

USAGE

Please be advised that most of Artistic Stone mosaics are not suitable for exterior use and should not be placed in direct sunlight as this may cause it to fade over time. We do not recommend installing some of the Artistic Stone mosaics on the floors, steam rooms, inside of showers or in submerged areas. **Use of adhesive tapes such as masking tape, blue tape, painters tape, duct tape is not recommended during or after the installation process. These adhesives may adversely affect or damage the appearance of the Artistic Stone Collection. For more details please refer to our Product Usage Chart, which you can find at: www.mir-mosaic.com.**

Natural stone is a product of organic formation and will have color and size variations, blemishes and chipped edges. No two pieces are identical lending to the beauty and prestige of these materials. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This is a natural characteristic of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.

INSTALLATION

To prolong the life and beauty of your installation, it is best to secure a licensed installer familiar with the industry standards established in the NTCA, ASTM, M.I.A. and ANSI handbooks for tile and trade installation.

Use a high quality wet saw with a diamond blade for glass tiles to cut the mosaic.

Make sure that mosaic is installed over the proper substrate. This is one of the most important factors in ensuring a good installation. The surface you are tiling must be clean, sound surface and free of dirt, oils, including curing compounds, and sealers. If necessary, use the installation material manufacturer's membrane for cracks and water protection.

Care should be taken to use the correct adhesive, grout and sealants. Use only **unsanded** grout for grouting Artistic Stone mosaics. Using wrong setting material can cause damage to the color and beauty of the mosaic. The installer is responsible for choosing and using the correct installation practices to achieve an acceptable finished product.

Mir Group, Inc. is in no way responsible for the damages caused to the mosaic by wrong setting material or grout.

We recommend using a white thin-set mortar or setting material for Artistic Stone mosaics to keep color consistent with the samples. Do not spread the adhesive over large surfaces; otherwise it will dry before laying the mosaics. Once the sheet has been fitted in place, press down with a rubber tile float, making sure that the distance between the mosaic sheets is the same as the distance between each of the mosaic chips to ensure a uniform layout and equal joint widths. All installation materials should be used according to the manufacturer's instructions.

Grout joints should be packed full and free of all voids and pits. Due to the structured surface of Artistic stone mosaic excess grout should be cleaned from the surface with the sponge as the work progresses, before the grout hardens. Cure grout per grout manufacturer's instructions. Prior to grouting, test in a small area to make sure that the right color grout is chosen and that the surface does not scratch during grouting.

Suggested setting materials include but are not limited to:

- Laticrete unsanded grout #1600 or similar;
- Laticrete Glass tile adhesive Mortar or Laticrete 220 Marble & Granite Mortar or similar products;
- Dupont Water based sealer or similar sealers.

MAINTENANCE

To maximize the life of your mosaic and retain its artistic integrity, please consider the following:

- Regular cleaning with water and a soft cloth or sponge is recommended. Do not use acids or cleaners containing acids, oils, corrosive chemicals, or abrasives. They can damage and/or discolor the tiles and the grout.
- Do not let stains sit on your mosaic's surface for extended periods. Clean promptly.
- Avoid long time exposure to sunlight as it could lighten the color.

PANTHEON COLLECTION

Installation and Maintenance Guide

The Pantheon Collection is decorative polished and honed natural stone etched with intricate patterns that will transform your space exquisitely. Natural stone is a product of organic formation and will have a color and size variations, blemishes and chipped edges. No two pieces are exactly identical lending to the beauty and prestige of these materials.

Inspection:

Always inspect your tiles before they are installed, as **installation of material constitutes acceptance**. Any questions as to acceptability must be resolved before installation. Mir Mosaic is in no way responsible for the installation of our tiles or thereafter. The responsibility for correct installation rests with the end user.

Usage:

- Interior/Exterior walls/floors
- Back splashes
- Shower walls/floors
- Steam Showers
- Light/Medium/Heavy foot traffic
- **NOT** recommended for swimming pools or areas submerged in water for prolonged period of time.
- **ALWAYS** - refer to the Mir Mosaic product guide provided in the catalog or website to determine suitability for your desired installation. Some collections may not be suitable for all areas listed above.
- For areas exposed to extreme temperature such as fireplace hearth or behind cook top contact Mir Mosaics at: info@mir-mosaic.com for additional information on usage.

Installation:

To prolong the life and beauty of your installation, it is best to secure a licensed installer familiar with the industry standards established in the NTCA, ASTM, M.I.A. and ANSI handbooks for tile and trade installation.

Due to the natural character of stone products, it is very important that the proper installation and methods are used according to the relevant industry standards. For specific questions or accepted industry standards, refer to the Marble Institute of America (www.marble-institute.com).

Natural stone may vary in absorption. It is recommended to pre-seal stones prior to installation. This will help prevent setting materials and grouts from staining the surface of the stone. Penetrating type sealers that leave the material looking natural are recommended for this purpose. Suggested sealer brands include but are not limited to: Dupont™ Stonetech® Professional Sealer and Aqua Mix. Please refer to sealers Manufacturer instructions prior to sealing. Test in a small area before sealing entire surface to ensure suitability. Contact your purchase location for additional information on these types of sealers.

We recommend installing stones over a clean, sound, and flat concrete or mortar substrate. The surface should be free of contaminates or any condition that could compromise the bond of the tile.

Use a high quality, well maintained wet saw with a diamond blade designed for cutting stone materials. Using a poorly maintained tile saw or a blade will cause the tile to chip during cutting. Always cut tile very slowly to avoid chipping.

Grout joints should be packed full and free of all voids and pits. Excess grout should be cleaned from the surface as the work progresses, while grout is fresh and before it hardens. Prior to grouting, test in a small area to make sure that the right color grout is chosen and that the surface does not scratch during grouting.

Suggested setting materials include but are not limited to:

- **LATICRETE PERMACOLOR® Grout**
- **LATICRETE Glass tile adhesive Mortar or Laticrete 220 Marble & Granite Mortar or similar products.**

MAINTENANCE

Stone is a natural product and care should be taken to maintain its lasting beauty. To maximize the life of your mosaic and retain its artistic integrity, please consider the following:

- Use only a mild, pH-neutral detergent cleaner and damp sponge or rag to clean your mosaic.
- **Do not** use acid, alkaline, and solvent-based cleaners. They can damage and/or discolor the tiles and the grout.
- **Do not** allow soap, bleach or other cleaning solutions set on the surface.
- **Do not** wax any part of your mosaic.
- **Do not** let stains sit on your mosaic's surface for extended periods. Clean promptly.

Acceptable cleaners for natural stone surfaces may be acquired through your Mir Mosaic purchase location or other tile dealers.

Always test cleaner in a small inconspicuous area prior to use throughout the installation to determine suitability and use of care and maintenance products.

WARRANTY

MIR Mosaic makes no warranties, express or implied, including merchantability or fitness for a particular purpose. Purchaser's remedy is limited to replacement or refunding the cost of defective material which has not been installed or altered in any way, and under no circumstances shall MIR Mosaic be liable for any loss or damage arising from the purchase, use, or inability to use this product, or for any special, indirect, incidental, or consequential damages. No installer, dealer, agent, or employee of MIR Mosaic has the authority to modify the obligations or limitations of this warranty.





Description of usage symbols:

Outdoors	Low traffic floors	Shower wall	Steam room
Indoors	High traffic floors	Shower pan	Swimming pool

Pictures shown in the catalog are intended to be used as a guide only and may vary from an actual product.
Please check tile samples before making final selections.

Exclusive Distributors:

MIR Group, Inc.
2200 B Zanker Rd, San Jose, CA 95131
Ph: +1 408 432-5400,
+1 408 432-1000
fax: +1 408 228-3924
E-mail: info@mir-mosaic.com
www.facebook.com/mir.mosaic
www.mir-mosaic.com

MIR Group, Russia
4-th Magistralnaya str., Bld 5, office 39,
Moscow, 123007, Russian Federation
Ph: +7 495 6171710
+7 495 6171770
E-mail: info@mir-group.su
www.mir-group.su

Mir Mosaic Tiles Traiding LLC
Office 1505, Churchill Tower,
Buisness Bay, Dubai, U.A.E., P.O.Box 71698
Ph: +971 50 898 4094
E-mail: info@mir-mosaic.ae
www.mir-mosaic.ae

Palazzo Veneranda Fabbrica del Duomo, Piazza del Duomo n.20, 20122 Milano-Italy
0039(02)7222201
E-mail: info@skalini.it
www.skalini.it


Skalini

Skalini 2017

It's a Lifestyle...

Version 2017.1