
















INFORME DEL DEPARTAMENTO DE CONTROL DE PRODUCTO

FECHA	MODELO	FORMATO
06/11/2017	STELLAR STEEL 1248	30x120
 N° REFERENCIA DECLARACIÓN DE PRESTACIONES MARCADO CE Reference number of the declaration of performance CE marking	001PCI2013-07	

ENSAYO Test	RESULTADO Result	NORMA DE ENSAYO Testing standard
 PROCESO DE FABRICACIÓN Manufacture process	MONOCOCCIÓN Single firing	
 ESPESOR MEDIO mm Average thickness	11,3	UNE-EN ISO 10545-2: 1998
 DIMENSIONES Y ASPECTO SUPERFICIAL Dimensions and surface quality	CUMPLE CON LOS REQUISITOS APLICABLES A CADA MODELO DEFINIDOS EN LA NORMA UNE-EN 14411 PARA EL GRUPO Bla Conform to the requisites applicable to each model as defined in Bla the standard UNE-EN 14411 for group	UNE-EN ISO 10545-2: 1998
 ABSORCIÓN DE AGUA % Water absorption %	≤ 0,5	UNE-EN ISO 10545-3: 1997
 RESISTENCIA A LA FLEXIÓN N/mm2 Modulus of rupture N/mm2	≥ 40	UNE-EN ISO 10545-4: 1997
 DUREZA AL RAYADO DE LA SUPERFICIE SEGÚN MOHS Scratch hardness according to Mohs	6	EN 101: 1991 (UNE 67101)
 RESISTENCIA A LA ABRASIÓN Resistance to the abrasion	Clase Class 3	UNE-EN ISO 10545-7: 1999
 RESISTENCIA AL CHOQUE TERMICO Resistance to thermal shock	RESISTE LA PRUEBA It stands the test	UNE-EN ISO 10545-9: 1997
 RESISTENCIA AL CUARTEO Cracking resistance	RESISTE LA PRUEBA It stands the test	UNE-EN ISO 10545-11: 1994
 RESISTENCIA A LA HELADA Frost resistance	RESISTE LA PRUEBA It stands the test	UNE-EN ISO 10545-11: 1994
 RESISTENCIA A LAS MANCHAS Stain resistance	Clase Class 5	UNE-EN ISO 10545-14: 1998
 RESISTENCIA A LOS PRODUCTOS DOMÉSTICOS DE LIMPIEZA Y ADITIVOS PARA AGUA DE PISCINAS Resistance to cleansing products and chemical products for swimming pool water	Clase Class GA GA	UNE-EN ISO 10545-13: 1998
 RESISTENCIA A LOS ÁLCALIS Y ÁCIDOS DÉBILES Y FUERTES Resistance to soft and strong, alcalis and acids	Clase Class GHA/GLA GHA/GLA	UNE-EN ISO 10545-13: 1998
 RESISTENCIA AL DESLIZAMIENTO Resistance to slip	Clase Class C1	UNE-ENV 12633:2003
	Clase Class R9	DIN 51130:2010 Apdo 5
	Clase Class	DIN 51097:1992
	Coef. Coeff. 0,58	DCOF ANSI A137-1-2012



Designs for your lifestyle

Exclusive Distributor:  
MIR Group, Inc.  
2200 B Zanker Rd, San Jose, CA 95131  
Ph: +1 408 432-5400,  
+1 408 432-1000  
fax: +1 408 228-3924  
e-mail: info@mir-mosaic.com  
 www.facebook.com/mir.mosaic  
www.mir-mosaic.com

STELLAR







# STELLAR STEEL & COPPER




STELLAR STEEL 1248  
Code: STL-STE-1248  
Size: 11.8X47.2"




STELLAR STEEL HERRINGBONE  
Code: STL-COP-HER  
Size: 11X11"




STELLAR COPPER 1248  
Code: STL-COP-1248  
Size: 11.8X47.2"




STELLAR COPPER HERRINGBONE  
Code: STL-COP-HER  
Size: 11X11"



STELLAR STEEL DECO A+B 1248  
Code: STL-STE-DEC  
Size: 11.8X47.2"




STELLAR STEEL  
DIMENSION  
Code: STL-STE-DIM  
Size: 4.9x4.9"




STELLAR COPPER  
DIMENSION  
Code: STL-COP-DIM  
Size: 4.9x4.9"



STELLAR COPPER DECO A+B 1248  
Code: STL-COP-DEC  
Size: 11.8X47.2"



STELLAR STEEL 1224  
Code: STL-STE-1224  
Size: 12x24"



STELLAR COPPER 1224  
Code: STL-COP-1224  
Size: 12x24"






# STELLAR SAND





STELLAR SAND 1248  
Code: STL-SND-1248  
Size: 11.8X47.2"



STELLAR SAND 1224  
Code: STL-SND-1224  
Size: 12x24"



STELLAR SAND HERRINGBONE  
Code: STL-SND-HER  
Size: 11X11"



STELLAR SAND DECO A+B 1248  
Code: STL-SND-DEC  
Size: 11.8X47.2"






# STELLAR WHITE



STELLAR WHITE 1248  
Code: STL-WHT-1248  
Size: 11.8X47.2"



STELLAR WHITE 1224  
Code: STL-WHT-1224  
Size: 12x24"



STELLAR WHITE HERRINGBONE  
Code: STL-WHT-HER  
Size: 11X11"



STELLAR WHITE DECO A+B 1248  
Code: STL-WHT-DEC  
Size: 11.8X47.2"

